



Certificate of Analysis

Company: Brown Dog Cannabis
1003 Bittersweet Falls Rd
Weybridge, VT 05753

Sample ID: HL01G33
Lot: N/A
Matrix: Flower-Dry
Date Sampled: N/A
Date Received: 10/5/2022

Report Date: 10/19/2022
Date Analyzed: 10/13/2022
Analyst: LEM
Report ID: C221005AF

Customer ID: 221005-1
Grower License #: S-000000318

Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	<LOQ	<LOQ
CBDV	0.0012	<LOQ	<LOQ
CBDA	0.0008	0.93	0.09
CBGA	0.0008	24.76	2.48
CBG	0.0019	1.85	0.18
CBD	0.0019	<LOQ	<LOQ
THCV	0.0021	<LOQ	<LOQ
CBN	0.0013	<LOQ	<LOQ
Δ9-THC	0.0020	11.60	1.16
Δ8-THC	0.0019	<LOQ	<LOQ
THC-A	0.0034	267.90	26.79
CBC	0.0024	1.01	0.10
Total THC		246.55	24.65
Total CBD		0.82	0.08
Total Cannabinoids		308.05	30.81

24.65%
Total THC

0.08%
Total CBD

30.81%
Total Cannabinoids

1.16%
Δ9-THC

11.44%
Percent Moisture

1 : 0
THC : CBD Ratio

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
 Total THC = (THCA x 0.877) + Δ9-THC Total CBD = (CBDA x 0.877) + CBD
 Ratio of Total CBD: Total THC Reagent Blanks: < LOQs for all analytes


LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.
 Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: Luke E. M.
Luke Emerson Mason (Laboratory Director, Bia Diagnostics)